

Application of the Lake Okeechobee Regulation Schedule (LORS2008) on 9/24/2018 (ENSO Neutral Condition)

Lake Okeechobee Net Inflow Outlook:

The Lake Okeechobee Net Inflow Outlook has been computed using 4 methods: Croley's method¹, the SFWMD empirical method², a sub-sampling of Neutral years³ and a sub-sampling of warm years of the Atlantic Multi-decadal Oscillation (AMO) in combination with La Nina ENSO years⁴. The results for Croley's method and the SFWMD empirical method are based on the [CPC Outlook](#).

Table of the Lake Okeechobee Net Inflow Outlooks in feet of equivalent depth. All methods are updated on a weekly basis with observed net inflow for the current month.

Season	Croley's Method ^{1*}		SFWMD Empirical Method ²		Sub-sampling of ENSO Years ³		Sub-sampling of AMO Warm + ENSO Years ⁴	
	Value (ft)	Condition	Value (ft)	Condition	Value (ft)	Condition	Value (ft)	Condition
Current (Sep-Feb)	N/A	N/A	1.58	Wet	2.21	Very Wet	1.28	Normal
Multi Seasonal (Sep-Apr)	N/A	N/A	1.76	Normal	2.54	Wet	1.03	Dry

*Croley's Method Not Produced For This Report

See [Seasonal](#) and [Multi-Seasonal](#) tables for the classification of Lake Okeechobee Outlooks.

The recommended methods and values for estimating the Lake Okeechobee Net Inflow Outlook are shaded and should be used in the LORS2008 Release Guidance Flow Charts.

**Sub-sampling is a weighted average of ENSO conditions based on the ENSO forecast used.

[Tributary Hydrologic Conditions Graph:](#)

2513 cfs 14-day running average for Lake Okeechobee Net Inflow through 9/24/2018. According to the classification in [Tributary Hydrologic Conditions](#) table, this condition is Wet.

-0.17 for Palmer Index on 9/22/2018.

According to the classification in [Tributary Hydrologic Conditions](#) table, this condition is Normal.

The wetter of the two conditions above is **Wet**.

[LORS2008 Classification Tables:](#)

Lake Okeechobee Stage on 9/24/2018

Lake Okeechobee Stage: **14.69 feet**

[USACE Report for Lake Okeechobee](#)

[Lake Okeechobee Stage Hydrograph](#)

Lake Okeechobee Management Zone/Band		Bottom Elevation (feet, NGVD)	Current Lake Stage
High Lake Management Band		16.63	
Operational Band	High sub-band	16.26	
	Intermediate sub-band	15.84	
	Low sub-band	14.27	← 14.69
Base Flow sub-band		12.89	
Beneficial Use sub-band		12.86	
Water Shortage Management Band			

[Part C of LORS2008: Discharge to WCA's](#)

Release Guidance Flow Chart Outcome: Up to maximum practicable releases to the WCAs if desirable or with minimum everglades impacts; otherwise no releases.

[Part D of LORS2008: Discharge to Tidewater](#)

Release Guidance Flow Chart Outcome: S-79 Up to 3000 cfs & S-80 Up to 1170 cfs.

[Back to Lake Okeechobee Operations Main Page](#)

[Back to U.S. Army Corps of Engineers Homepage](#)

LORS2008 Implementation on 9/24/2018 (ENSO Neutral Condition):

Water Supply Risk Evaluation

Status for week ending 9/24/2018:

District wide, Raindar rainfall was 0.98 inches for the week. Lake stage on 9/24/2018 was 14.69 ft, down 0.09 ft from last week.


The updated Mid-September 2018 SFWMM Dynamic Position Analysis [percentile graph](#) for Lake Okeechobee show that the current lake stage is in the Low Operational Sub-Band.

The LORS2008 tributary [indices](#) are classified as **Wet**. The PDSI indicates normal condition and the LONIN is Wet. The classification is based on the wetter of the two.

Area	Indicator	Value	Color Coded Scoring Scheme
LOK	Projected LOK Stage for the next two months	Low Sub Band	L
	Palmer Index for LOK Tributary Conditions	-0.17 (Normal to Extremely Wet)	L
	CPC Precipitation Outlook	1 month: Normal	L
		3 months: Above Normal	L
	LOK Seasonal Net Inflow Outlook	2.21 ft (Normal to Extremely Wet)	L
	ENSO Years		
	LOK Multi-Seasonal Net Inflow Outlook	2.54 ft (Wet)	L
ENSO Conditions			
WCAs	WCA 1: Station Average (Site 1-7, Site 1-8T, Site 1-9)	Above Line 1 (16.57 ft)	L
	WCA 2A: Site 2-17	Above Line 1 (13.28 ft)	L
	WCA-3A: 3 Station Average (Site 63, 64 and 65)	Above Line 1 (10.65 ft)	L
LEC	Service Area 1	Year-Round Irrigation Rule in effect	L
	Service Area 2	Year-Round Irrigation Rule in effect	L
	Service Area 3	Year-Round Irrigation Rule in effect	L

Note: The water supply risk classification based on the Palmer index, as well as the LOK seasonal and multi-seasonal net inflow outlooks use slightly different classification intervals than those used by the 2008-LORS.


Lake Okeechobee SFWMM Sep 2018 Mid-Month Position Analysis




(See assumptions on the Position Analysis Results website)

Tributary Basin Condition Indicators as of September 24 2018

Palmer Index



Lake Okeechobee Net Inflow (LONIN) 14-day Running Average



Mon Sep 24 15:04:32 EDT 2018

2008 LORS

Part C: Establish Allowable Lake Okeechobee Releases to the Water Conservation Areas




Figure 7-3


2008 LORS

Part D: Establish Allowable Lake Okeechobee Releases to Tide (Estuaries)

Note: This operational guidance provides essential supplementary information to be used in conjunction with other supporting documentation including text within the Water Control Plan.

When conducting Base Flow releases, flows can be distributed East and West up to 650 cfs as needed to minimize impacts or provide benefits through S-80 and S-79


Apply Meteorological Forecasts on a Weekly Basis; apply Seasonal and Multi-Seasonal Climate/Hydrologic Outlooks on a Monthly Basis



* Very Dry Conditions may require that releases to tide (estuaries) be discontinued

Figure 7-4

Lake Okeechobee Water Level History and Projected Stages



U. S. Army Corps of Engineers, Jacksonville District
 Lake Okeechobee and Vicinity Report
 ** Preliminary Data - Subject to Revision **

Data Ending 2400 hours 23 SEP 2018

Okeechobee Lake Regulation	Elevation	Last Year	2YRS Ago
	(ft-NGVD)	(ft-NGVD)	(ft-NGVD)
*Okeechobee Lake Elevation	14.69	16.07	15.61 (Official Elv)
Bottom of High Lake Mngmt=	16.63	Top of Water Short Mngmt=	12.86
Currently in Operational Management Band			

Simulated Average LORS2008 [1965-2000]	13.64
Difference from Average LORS2008	1.05

23SEP (1965-2007) Period of Record Average	14.70
Difference from POR Average	-0.01

Today Lake Okeechobee elevation is determined from the 4 Int & 4 Edge stations

++Navigation Depth (Based on 2007 Channel Condition Survey) Route 1 ÷ 8.63'
 ++Navigation Depth (Based on 2008 Channel Condition Survey) Route 2 ÷ 6.83'
 Bridge Clearance = 49.36'

4 Interior and 4 Edge Okeechobee Lake Average (Avg-Daily values):

L001	L005	L006	LZ40	S4	S352	S308	S133
14.64	14.79	14.72	14.66	14.74	14.82	14.60	14.59

*Combination Okeechobee Avg-Daily Lake Average = 14.69
 (*See Note)

Okeechobee Inflows (cfs):

S65E	0	S65EX1	2407	Fisheating Cr	492
S154	0	S191	0	S135 Pumps	0
S84	0	S133 Pumps	0	S2 Pumps	0
S84X	0	S127 Pumps	0	S3 Pumps	0
S71	198	S129 Pumps	0	S4 Pumps	0
S72	0	S131 Pumps	0	C5	0
Total Inflows:	3097				

Okeechobee Outflows (cfs):

S135 Culverts	0	S354	861	S77	2022
S127 Culverts	0	S351	0	S308	0
S129 Culverts	0	S352	63		
S131 Culverts	0	L8 Canal Pt	-2		
Total Outflows:	2944				

****S77 structure flow is being used to compute Total Outflow.
 ****S308 structure flow is being used to compute Total Outflow.

Okeechobee Pan Evaporation (inches):

S77	0.27	S308	0.13
Average Pan Evap x 0.75 Pan Coefficient = 0.15" = 0.01'			

Lake Average Precipitation using NEXRAD: = 0.15" = 0.01'

Evaporation - Precipitation: = 0.00" = 0.00'
 Evaporation - Precipitation using Lake Area of 730 square miles
 is equal to 0 cfs.
 Lake Okeechobee (Change in Storage) Flow is 0 cfs or 0 AC-FT

	Headwater Elevation (ft-msl)	Tailwater Elevation (ft-msl)	Disch (cfs) (I) see note at bottom	----- Gate Positions -----							
				#1 (ft)	#2 (ft)	#3 (ft)	#4 (ft)	#5 (ft)	#6 (ft)	#7 (ft)	#8 (ft)
North East Shore											
S133 Pumps:	13.62	14.61	0	0	0	0	0	0	0		(cfs)
S193:											
S191:	18.65	14.59	0	0.0	0.0	0.0					
S135 Pumps:	13.21	14.57	0	0	0	0	0				(cfs)
S135 Culverts:			0	0.0	0.0						
North West Shore											
S65E:	21.09	14.61	0	0.0	0.0	0.0	0.0	-0.0	0.0		
S65EX1:	21.09	14.61	2407								
S127 Pumps:	13.44	14.66	0	0	0	0	0	0			(cfs)
S127 Culvert:			0	0.0							
S129 Pumps:	12.90	14.77	0	0	0	0					(cfs)
S129 Culvert:			0	0.0							
S131 Pumps:	12.82	14.91	0	0	0						(cfs)
S131 Culvert:			0								
Fisheating Creek											
nr Palmdale		32.31	492								
nr Lakeport											
C5:		-NR-	0	-NR-	-NR-	-NR-					
South Shore											
S4 Pumps:	11.37	14.73	0	0	0	0					(cfs)
S169:	14.69	11.36	0	0.0	0.0	0.0					
S310:	14.63		27								
S3 Pumps:	10.46	14.67	0	0	0	0					(cfs)
S354:	14.67	10.46	861	1.2	1.5						
S2 Pumps:	10.28	14.70	0	0	0	0	0				(cfs)
S351:	14.70	10.28	0	0.0	0.0	0.0					
S352:	14.84	10.57	63	0.0	0.0						
C10A:	-NR-	12.58		8.0	8.0	8.0	0.0	0.0			
L8 Canal PT		12.40	-2								

S351 and S352 Temporary Pumps/S354 Spillway

S351:	10.28	14.70	0	-NR-	-NR-	-NR-	-NR-	-NR-	-NR-		
S352:	10.57	14.84	63	-NR-	-NR-	-NR-	-NR-				
S354:	10.46	14.67	861	-NR-	-NR-	-NR-	-NR-				

Caloosahatchee River (S77, S78, S79)

S47B:	14.27	12.24		0.0	0.0						
S47D:	11.31	11.31	-64	6.5							

S77:

Spillway and Sector Preferred Flow:
 14.80 11.22 2019 2.5 2.5 2.5 0.0
 Flow Due to Lockages+: 3

S78:

Spillway and Sector Flow:
 11.12 2.94 1622 0.0 2.5 2.5 0.0
 Flow Due to Lockages+: -NR-

S79:

Spillway and Sector Flow:
 3.07 1.07 3420 1.0 2.0 2.0 2.0 2.0 2.0 2.0 1.0
 Flow Due to Lockages+: 8
 Percent of flow from S77 59%
 Chloride (ppm) 48

St. Lucie Canal (S308, S80)

S308:

Spillway and Sector Preferred Flow:
 14.62 14.14 0 0.0 0.0 0.0 0.0
 Flow Due to Lockages+: 0

S153: 19.06 13.95 17 0.1 0.0

S80:

Spillway and Sector Flow:
 14.30 1.83 109 0.0 0.0 0.0 0.0 0.0 0.0 0.0
 Flow Due to Lockages+: 15
 Percent of flow from S308 0%

Steele Point Top Salinity (mg/ml) ****
 Steele Point Bottom Salinity (mg/ml) ****

Speedy Point Top Salinity (mg/ml) ****
 Speedy Point Bottom Salinity (mg/ml) ****

+ Flow Due to lockages is computed utilizing average daily headwater and tailwater along with total number of lockages for the day to calculate a volume which is then converted to an average discharge in cfs.

++ Preferred flow is determined from either the spillway discharge or the below flow meter daily

Daily Precipitation Totals	1-Day (inches)	3-Day (inches)	7-Day (inches)	----- Wind -----	
				Direction (Degø)	Speed (mph)
S133 Pump Station:	-NR-	0.00	0.00		
S193:	-NR-	0.00	0.00	-NR-	-NR-
Okeechobee Field Station:	-NR-	0.00	0.00		
S135 Pump Station:	-NR-	0.00	0.00		
S127 Pump Station:	-NR-	0.00	0.00		
S129 Pump Station:	-NR-	0.00	0.00		
S131 Pump Station:	-NR-	0.00	0.00		
S77:	15.69	15.76	15.76	88	7
S78:	2.88	2.94	2.94	95	4
S79:	-7.55	-7.53	-6.16	326	0
S4 Pump Station:	-NR-	0.00	0.00		
Clewiston Field Station:	-NR-	0.00	0.00		
S3 Pump Station:	-NR-	0.00	0.00		
S2 Pump Station:	-NR-	0.00	0.00		
S308:	2.89	3.04	3.04	358	0
S80:	0.00	0.00	0.00	76	1
Okeechobee Average	9.29	1.45	1.45		

(Sites S78, S79 and S80 not included)

Oke Nexrad Basin Avg 0.15 0.49 0.75

Okeechobee Lake Elevations	23 SEP 2018	14.69	Difference from 23SEP18
23SEP18 -1 Day =	22 SEP 2018	14.69	0.00
23SEP18 -2 Days =	21 SEP 2018	14.70	0.01
23SEP18 -3 Days =	20 SEP 2018	14.73	0.04
23SEP18 -4 Days =	19 SEP 2018	14.75	0.06
23SEP18 -5 Days =	18 SEP 2018	14.77	0.08
23SEP18 -6 Days =	17 SEP 2018	14.78	0.09
23SEP18 -7 Days =	16 SEP 2018	14.80	0.11
23SEP18 -30 Days =	24 AUG 2018	14.55	-0.14
23SEP18 -1 Year =	23 SEP 2017	16.07	1.38
23SEP18 -2 Year =	23 SEP 2016	15.61	0.92

Long Term Mean 30day Avearge ET for Lake Alfred (Inches) = 4.02

Lake Okeechobee Net Inflow (LONIN)				
Average Flow over the previous 14 days				Avg-Daily Flow
23SEP18 Today =	23 SEP 2018	2497	MON	2943
23SEP18 -1 Day =	22 SEP 2018	2714	SUN	1682
23SEP18 -2 Days =	21 SEP 2018	3116	SAT	-1813
23SEP18 -3 Days =	20 SEP 2018	3695	FRI	762
23SEP18 -4 Days =	19 SEP 2018	3821	THU	-1102
23SEP18 -5 Days =	18 SEP 2018	4344	WED	17
23SEP18 -6 Days =	17 SEP 2018	5202	TUE	-2547
23SEP18 -7 Days =	16 SEP 2018	6247	MON	340
23SEP18 -8 Days =	15 SEP 2018	6466	SUN	434
23SEP18 -9 Days =	14 SEP 2018	6583	SAT	21178
23SEP18 -10 Days =	13 SEP 2018	5146	FRI	3161
23SEP18 -11 Days =	12 SEP 2018	5319	THU	3161
23SEP18 -12 Days =	11 SEP 2018	5744	WED	2792
23SEP18 -13 Days =	10 SEP 2018	6499	TUE	3949

S65E				
Average Flow over previous 14 days				Avg-Daily Flow
23SEP18 Today=	23 SEP 2018	0	MON	0
23SEP18 -1 Day =	22 SEP 2018	0	SUN	0
23SEP18 -2 Days =	21 SEP 2018	0	SAT	0
23SEP18 -3 Days =	20 SEP 2018	0	FRI	0
23SEP18 -4 Days =	19 SEP 2018	0	THU	0
23SEP18 -5 Days =	18 SEP 2018	0	WED	0
23SEP18 -6 Days =	17 SEP 2018	0	TUE	0
23SEP18 -7 Days =	16 SEP 2018	0	MON	0
23SEP18 -8 Days =	15 SEP 2018	0	SUN	0
23SEP18 -9 Days =	14 SEP 2018	0	SAT	0
23SEP18 -10 Days =	13 SEP 2018	0	FRI	0
23SEP18 -11 Days =	12 SEP 2018	0	THU	0
23SEP18 -12 Days =	11 SEP 2018	4	WED	0
23SEP18 -13 Days =	10 SEP 2018	4	TUE	0

S65EX1				
Average Flow over previous 14 days				Avg-Daily Flow
23SEP18 Today=	23 SEP 2018	2881	MON	2407
23SEP18 -1 Day =	22 SEP 2018	3045	SUN	2546
23SEP18 -2 Days =	21 SEP 2018	3198	SAT	2249

23SEP18	-3 Days =	20 SEP 2018	3364	FRI		2082
23SEP18	-4 Days =	19 SEP 2018	3541	THU		2188
23SEP18	-5 Days =	18 SEP 2018	3701	WED		2376
23SEP18	-6 Days =	17 SEP 2018	3851	TUE		2221
23SEP18	-7 Days =	16 SEP 2018	3966	MON		2547
23SEP18	-8 Days =	15 SEP 2018	4024	SUN		2718
23SEP18	-9 Days =	14 SEP 2018	4039	SAT		3122
23SEP18	-10 Days =	13 SEP 2018	4040	FRI		3265
23SEP18	-11 Days =	12 SEP 2018	3998	THU		3918
23SEP18	-12 Days =	11 SEP 2018	3913	WED		4165
23SEP18	-13 Days =	10 SEP 2018	3810	TUE		4529

Lake Okeechobee Outlets Last 14 Days

DATE	S-77 Discharge (ALL DAY) (AC-FT)	Below S-77 Discharge (ALL-DAY) (AC-FT)	S-78 Discharge (ALL DAY) (AC-FT)	S-79 Discharge (ALL DAY) (AC-FT)
23 SEP 2018	4003	3627	-NR-	6809
22 SEP 2018	4335	3676	3210	7124
21 SEP 2018	4438	3838	3143	6913
20 SEP 2018	3478	3190	2674	5036
19 SEP 2018	431	675	1483	5334
18 SEP 2018	340	549	1509	5892
17 SEP 2018	1177	1112	1494	6039
16 SEP 2018	707	1088	1711	5613
15 SEP 2018	406	1185	1853	6891
14 SEP 2018	1810	1923	1467	6768
13 SEP 2018	1988	2016	2052	-NR-
12 SEP 2018	922	1337	2063	5481
11 SEP 2018	426	1005	2062	5726
10 SEP 2018	305	951	2064	5293

DATE	S-310 Discharge (ALL DAY) (AC-FT)	S-351 Discharge (ALL DAY) (AC-FT)	S-352 Discharge (ALL DAY) (AC-FT)	S-354 Discharge (ALL DAY) (AC-FT)	L8 Canal Pt Discharge (ALL DAY) (AC-FT)
23 SEP 2018	53	0	103	1390	-5
22 SEP 2018	13	338	311	1578	1
21 SEP 2018	6	246	137	1491	5
20 SEP 2018	14	1282	0	1188	7
19 SEP 2018	-77	812	0	1087	-1
18 SEP 2018	-262	487	0	559	-14
17 SEP 2018	-375	381	198	224	12
16 SEP 2018	-350	0	0	0	12
15 SEP 2018	-309	0	0	0	-4
14 SEP 2018	-251	0	0	228	-11
13 SEP 2018	-59	0	0	839	-7
12 SEP 2018	-45	556	0	1005	11
11 SEP 2018	-91	1197	0	1350	10
10 SEP 2018	23	1118	0	1227	-13

DATE	S-308 Discharge (ALL DAY) (AC-FT)	Below S-308 Discharge (ALL-DAY) (AC-FT)	S-80 Discharge (ALL-DAY) (AC-FT)
23 SEP 2018	1	-117	253
22 SEP 2018	573	593	762
21 SEP 2018	2352	2256	2609
20 SEP 2018	3684	3931	3572
19 SEP 2018	3715	4455	4034
18 SEP 2018	2783	2566	3541

17 SEP 2018	1289	-NR-	1789
16 SEP 2018	1	7	242
15 SEP 2018	412	252	968
14 SEP 2018	2107	2005	2578
13 SEP 2018	3278	3402	3469
12 SEP 2018	3646	3913	3851
11 SEP 2018	2419	2041	3489
10 SEP 2018	1183	799	1781

*** NOTE: Discharge (ALL DAY) is computed using Spillway, Sector Gate and Lockages Discharges from 0015 hrs to 2400 hrs.


(I) - Flows preceded by "I" signify an instantaneous flow computed from the single value reported for the day

* On 11 May 1999, Lake Okeechobee Elevation was switched from Instantaneous 2400 value to an average-daily lake average.
 On 14 Mar 2001, due to the isolation of various gages within the standard 10 stations, the average of the interior 4 station gages was used as the Lake Okeechobee Elevation.
 On 05 November 2010, Lake Okeechobee Elevation was switched to a 9 gage mix of interior and edge gages to obtain a more reliable representation of the lake level.
 On 09 May 2011, Lake Okeechobee Elevation was switched to a 8 gage mix of interior and edge gages to obtain a more reliable representation of the lake level due to isolation of S135 from low lake levels.
 Today Lake Okechobee elevation is determined from the 4 Int & 4 Edge stations
 ++ For more information see the Jacksonville District Navigation website at <http://www.saj.usace.army.mil/>
 \$ For information regarding Lake Okeechobee Service Area water restrictions please refer to www.sfwmd.gov

Report Generated 24SEP2018 @ 23:38 ** Preliminary Data - Subject to Revision **

Lake Okeechobee

24SEP18 14:45:22



- High Lake Management
- Okeechobee Avg Elev
- Average Elev [1965-2007]
- Water Shortage Management

Classification Tables

Supplemental Tables used in conjunction with the LORS2008 Release

Guidance Flow Charts

- [Class Limits for Tributary Hydrologic Conditions](#)

Table K-2 in the Lake Okeechobee Water Control Plan

- [6-15 Day Precipitation Outlook Categories](#)

Table ?? in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Seasonal Outlook](#)

Table K-3 in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Multi-Seasonal Outlook](#)

Table K-4 in the Lake Okeechobee Water Control Plan

[Back to Lake Okeechobee Operations Main Page](#)

[Back to U.S. Army Corps of Engineers Lake Okeechobee Operations Homepage](#)

Tributary Hydrologic Classification*	Palmer Index Class Limits	2-wk Mean L.O. Net Inflow Class Limits
Very Wet	3.0 or greater	Greater \geq 6000 cfs
Wet	1.5 to 2.99	2500 - 5999 cfs
Near Normal	-1.49 to 1.49	500 - 2499 cfs
Dry	-2.99 to -1.5	-5000 – 500 cfs
Very Dry	-3.0 or less	Less than -5000 cfs

* use the wettest of the two indicators

Classification of Lake Okeechobee Net Inflow Seasonal Outlook*

Lake Net Inflow Prediction [million acre-feet]	Equivalent Depth** [feet]	Lake Okeechobee Net Inflow Seasonal Outlook
> 0.93	> 2.0	Very Wet
0.71 to 0.93	1.51 to 2.0	Wet
0.35 to 0.70	0.75 to 1.5	Normal
< 0.35	< 0.75	Dry

****Volume-depth conversion based on average lake surface area of 467,000 acres**

Classification of Lake Okeechobee Net Inflow Multi-Seasonal Outlook*

Lake Net Inflow Prediction [million acre-feet]	Equivalent Depth** [feet]	Lake Okeechobee Net Inflow Multi-Seasonal Outlook
> 2.0	> 4.3	Very Wet
1.18 to 2.0	2.51 to 4.3	Wet
0.5 to 1.17	1.1 to 2.5	Normal
< 0.5	< 1.1	Dry

****Volume-depth conversion based on average lake surface area of 467,000 acres**

6-15 Day Precipitation Outlook Categories*

6-15 Day Precipitation Outlook Categories	WSE Decision Tree Categories
Above Normal	Wet to Very Wet
Normal	Normal
Below Normal	Dry

* Corresponds to Table 7-6 in the Lake Okeechobee Water Control Plan

Under Construction