

Application of the Lake Okeechobee Regulation Schedule (LORS2008) on 07/25/2022 (ENSO Condition: La Niña)

Lake Okeechobee Net Inflow Outlook:

The Lake Okeechobee Net Inflow Outlook has been computed using 4 methods: Croley's method¹, the SFWMD empirical method², a sub-sampling of La Nina years³ and a sub-sampling of warm years of the Atlantic Multi-decadal Oscillation (AMO) in combination with La Nina ENSO years⁴. The results for Croley's method and the SFWMD empirical method are based on the CPC Outlook.

Table of the Lake Okeechobee Net Inflow Outlooks in feet of equivalent depth. All methods are updated on a weekly basis with observed net inflow for the current month.

Season	Croley's Method ^{1*}		SFWMD Empirical Method ²		Sub-sampling of La Nina ENSO Years ³		Sub-sampling of AMO Warm + La Nina ENSO Years ⁴	
	Value (ft)	<u>Condition</u>	Value (ft)	<u>Condition</u>	Value (ft)	<u>Condition</u>	Value (ft)	<u>Condition</u>
Current (Jun-Nov)	N/A	N/A	1.96	Wet	2.03	Very Wet	1.75	Wet
Multi Seasonal (Jun-Apr)	N/A	N/A	2.47	Normal	2.05	Normal	1.41	Normal

***Croley's Method Not Produced for This Report**

See Seasonal and Multi-Seasonal tables for the classification of Lake Okeechobee Outlooks.

The recommended methods and values for estimating the Lake Okeechobee Net Inflow Outlook are shaded and should be used in the LORS2008 Release Guidance Flow Charts.

**Sub-sampling is a weighted average of ENSO conditions based on the ENSO forecast used.

Tributary Hydrologic Conditions Graph:

1462 cfs 14-day running average for Lake Okeechobee Net Inflow through 07/25/2022. According to the classification in Tributary Hydrologic Conditions table, this condition is Near Normal.

-3.16 for Palmer Drought Index on 07/23/2022. According to the classification in Tributary Hydrologic Conditions table, this condition is Very Dry.

The wetter of the two conditions above is **Near Normal**.

LORS2008 Classification Tables:

Lake Okeechobee Stage on 07/25/2022:

Lake Okeechobee Stage: **13.04 feet**

Lake Okeechobee Management Zone/Band		Bottom Elevation (feet, NGVD)	Current Lake Stage
High Lake Management Band		16.25	
Operational Band	High sub-band	15.81	
	Intermediate sub-band	15.38	
	Low sub-band	13.50	
Base Flow sub-band		12.60	← 13.04 ft
Beneficial Use sub-band		11.60	
Water Shortage Management Band			

Part C of LORS2008: Discharge to WCAs

Up to Maximum Practicable to the WCAs if desirable or with minimum Everglades impact; otherwise no releases to WCAs.

Part D of LORS2008: Discharge to Tide

Up to 450 cfs at S-79 and up to 200 cfs at S-80.

**Lake Okeechobee Releases to the Caloosahatchee Estuary
for 2008 LORS Baseflow & for Environmental Water Supply**

Guidance for Lake Okeechobee Releases to the Caloosahatchee Estuary indicates no S77 release to the Caloosahatchee Estuary unless the Governing Board recommends otherwise.

LORS2008 Implementation on 07/25/2022 (ENSO Condition- La Nina Watch):

Status for week ending 07/25/2022:


Water Supply Risk Evaluation

Area	Indicator	Value	Color Coded Scoring Scheme
LOK	Projected LOK Stage for the next two months	Base Flow	M
	Palmer Drought Index for LOK Tributary Conditions	-3.16 (Extremely Dry)	H
	CPC Precipitation Outlook	1 month: Above Normal	L
		3 months: Above Normal	L
	LOK Seasonal Net Inflow Outlook	2.03 ft	L
	ENSO Forecast	Normal to extremely wet	
	LOK Multi-Seasonal Net Inflow Outlook	2.05 ft	M
	ENSO Forecast	Normal	
WCAs	WCA 1: Station Average (Sites 1-7, 1-8T, and 1-9)	Above Line 1 (16.53 ft)	L
	WCA 2A: Site 2-17	Above Line 1 (12.38 ft)	L
	WCA-3A: 3 Station Average (Sites 63, 64, and 65)	Above Line 1 (9.96 ft)	L
LEC	Service Area 1	Year-Round Irrigation Rule in effect	L
	Service Area 2	Year-Round Irrigation Rule in effect	L
	Service Area 3	Year-Round Irrigation Rule in effect	L

Note: The water supply risk classification based on the Palmer index, as well as the LOK seasonal and multi-seasonal net inflow outlooks use slightly different classification intervals than those used by the 2008-LORS.



Lake Okeechobee SFWMM July 2022 Position Analysis

Percentiles PA_JULCR2



(See assumptions on the Position Analysis Results website)

Tributary Basin Condition Indicators as of July 24 2022



2008 LORS

Part C: Establish Allowable Lake Okeechobee Releases to the Water Conservation Areas




Figure 7-3

2008 LORS

Part D: Establish Allowable Lake Okeechobee Releases to Tide (Estuaries)

Note: This operational guidance provides essential supplementary information to be used in conjunction with other supporting documentation including text within the Water Control Plan.

When conducting Base Flow releases, flows can be distributed East and West up to 650 cfs as needed to minimize impacts or provide benefits through S-80 and S-79

Apply Meteorological Forecasts on a Weekly Basis; apply Seasonal and Multi-Seasonal Climate/Hydrologic Outlooks on a Monthly Basis





Figure 7-4

Flowchart to Guide Recommendations for Lake Okeechobee Releases to the Caloosahatchee Estuary for 2008 LORS Baseflow & for Environmental Water Supply (revised 9-Aug-2012)



¹The 2008 LORS Release Guidance (Part D) can suggest baseflow releases in the Intermediate, Low, or Baseflow Subbands.

²Estuary “needs” water when the 30-day moving average salinity at I-75 bridge is projected to exceed 5 practical salinity units (psu) within 2 weeks.

³LOWSM = Lake Okeechobee Water Shortage Management.


⁴Tributary Hydrologic Condition (THC) is based on classification of Lake Okeechobee Net Inflow and Palmer Index.

⁵Can release less than the “up to” limit if lower release is sufficient to reach or sustain desired estuary salinity; cfs = cubic feet per second.

⁶After reviewing conditions in Water Conservation Areas (WCAs), Stormwater Treatment Areas (STAs), ENP, St. Lucie Estuary and Lake Okeechobee.

⁷Should this condition be reached, the Governing Board will be briefed at their next regularly scheduled meeting as part of the State of the Water Resources agenda item

Lake Okeechobee Water Level History and Projected Stages



U. S. Army Corps of Engineers, Jacksonville District
Lake Okeechobee and Vicinity Report
** Preliminary Data - Subject to Revision **

Data Ending 2400 hours 24 JUL 2022

Okeechobee Lake Regulation Elevation Last Year 2YRS Ago
 (ft-NGVD) (ft-NGVD) (ft-NGVD)

*Okeechobee Lake Elevation 13.04 13.51 12.89 (Official Elv)
Bottom of High Lake Mngmt= 16.25 Top of Water Short Mngmt= 11.60
Currently in Operational Management Band

Simulated Average LORS2008 [1965-2000] 12.60
Difference from Average LORS2008 0.44

24JUL (1965-2007) Period of Record Average 13.69
Difference from POR Average -0.65

Today Lake Okeechobee elevation is determined from the 4 Int & 4 Edge stations

++Navigation Depth (Based on 2007 Channel Condition Survey) Route 1 ◆ 6.98'
++Navigation Depth (Based on 2008 Channel Condition Survey) Route 2 ◆ 5.18'
Bridge Clearance = 50.39'

4 Interior and 4 Edge Okeechobee Lake Average (Avg-Daily values):

L001	L005	L006	LZ40	S4	S352	S308	S133
13.04	13.12	13.06	13.05	13.09	13.10	12.90	12.98

*Combination Okeechobee Avg-Daily Lake Average = 13.04
(*See Note)

Okeechobee Inflows (cfs):

S65E	74	S65EX1	0	Fisheating Cr	142
S154	0	S191	0	S135 Pumps	0
S84	0	S133 Pumps	0	S2 Pumps	0
S84X	0	S127 Pumps	0	S3 Pumps	0
S71	93	S129 Pumps	0	S4 Pumps	0
S72	0	S131 Pumps	0	C5	0

Total Inflows: 309

Okeechobee Outflows (cfs):

S135 Culverts	17	S354	0	S77	-NR-
S127 Culverts	0	S351	0	S308	-0
S129 Culverts	0	S352	0		
S131 Culverts	0	L8 Canal Pt	-NR-		

Total Outflows: No Report Due To Missing S77 or S308 Discharge Data

***S77 structure flow is being used to compute Total Outflow.
***S308 structure flow is being used to compute Total Outflow.

Okeechobee Pan Evaporation (inches):

S77	-NR-	S308	0.32
-----	------	------	------

Average Pan Evap x 0.75 Pan Coefficient = -NR-" = -NR-'

Lake Average Precipitation using NEXRAD: = -NR-" = -NR-'

Evaporation - Precipitation: = -NR-" = -NR-'
Evaporation - Precipitation using Lake Area of 730 square miles

is equal to -NR-
 Lake Okeechobee (Change in Storage) Flow is 0 cfs or 0 AC-FT

	Headwater Elevation (ft-msl)	Tailwater Elevation (ft-msl)	Disch (cfs)	----- Gate Positions -----							
				#1 (ft)	#2 (ft)	#3 (ft)	#4 (ft)	#5 (ft)	#6 (ft)	#7 (ft)	#8 (ft)
(I) see note at bottom											
North East Shore											
S133 Pumps:	13.12	12.93	0	0	0	0	0	0	0	0	(cfs)
S193:											
S191:	18.32	12.91	0	0.0	0.0	0.0					
S135 Pumps:	13.63	12.82	0	0	0	0	0				(cfs)
S135 Culverts:			17	0.0	2.6						
North West Shore											
S65E:	20.94	12.76	74	0.1	0.0	0.1	0.0	0.1	0.0		
S65EX1:	20.94	12.76	0								
S127 Pumps:	12.85	12.99	0	0	0	0	0	0			(cfs)
S127 Culvert:			0	0.0							
S129 Pumps:	12.91	13.08	0	0	0	0					(cfs)
S129 Culvert:			0	0.0							
S131 Pumps:	12.92	13.29	0	0	0						(cfs)
S131 Culvert:			0								
Fisheating Creek											
nr Palmdale		31.43	142								
nr Lakeport											
C5:		-NR-	0	-NR-	-NR-	-NR-					
South Shore											
S4 Pumps:	13.07	-NR-	0	0	0	0					(cfs)
S169:	13.07	13.09	-NR-	-NR-	-NR-	-NR-					
S310:	13.03		-34								
S3 Pumps:	9.46	13.07	0	0	0	0					(cfs)
S354:	13.07	9.46	0	0.0	0.0						
S2 Pumps:	9.49	13.02	0	0	0	0	0				(cfs)
S351:	13.02	9.49	0	0.0	0.0	0.0					
S352:	13.11	9.37	0	0.0	0.0						
C10A:	-NR-	12.89		8.0	8.0	8.0	0.0	0.0			
L8 Canal PT		12.89	-NR-								

S351 and S352 Temporary Pumps/S354 Spillway

S351:	9.49	13.02	0	-NR-	-NR-	-NR-	-NR-	-NR-	-NR-		
S352:	9.37	13.11	0	-NR-	-NR-	-NR-	-NR-				
S354:	9.46	13.07	0	-NR-	-NR-	-NR-	-NR-				

Caloosahatchee River (S77, S78, S79)

S47B:	11.95	11.89		1.5	1.5						
S47D:	11.84	10.89	0	0.0							
S77:											
Spillway and Sector Preferred Flow:	13.09	10.80	0	0.0	0.0	0.0	0.0				
Flow Due to Lockages+:			-NR-								

S78:

Spillway and Sector Flow:
 10.84 3.04 344 0.5 0.0 0.0 1.0
 Flow Due to Lockages+: 5

S79:
 Spillway and Sector Flow:
 3.25 0.93 1073 0.0 0.0 0.0 0.0 0.0 0.0 2.0 3.0
 Flow Due to Lockages+: 8
 Percent of flow from S77 0%
 Chloride (ppm) 0

St. Lucie Canal (S308, S80)

S308:
 Spillway and Sector Preferred Flow:
 12.84 13.11 0 0.0 0.0 0.0 0.0
 Flow Due to Lockages+: -0

S153: 19.07 12.90 25 0.0 0.0

S80:
 Spillway and Sector Flow:
 13.18 0.67 0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
 Flow Due to Lockages+: 11
 Percent of flow from S308 NA %

Steele Point Top Salinity (mg/ml) ****

Steele Point Bottom Salinity (mg/ml) ****

Speedy Point Top Salinity (mg/ml) ****

Speedy Point Bottom Salinity (mg/ml) ****

+ Flow Due to lockages is computed utilizing average daily headwater and tailwater along with total number of lockages for the day to calculate a volume which is then converted to an average discharge in cfs.

++ Preferred flow is determined from either the spillway discharge or the below flow meter daily

Daily Precipitation Totals	1-Day (inches)	3-Day (inches)	7-Day (inches)	----- Wind -----	
				Direction (Deg)	Speed (mph)
S133 Pump Station:	-NR-	0.00	0.00		
S193:	-NR-	0.00	0.00	-NR-	-NR-
Okeechobee Field Station:	-NR-	0.00	0.00		
S135 Pump Station:	-NR-	0.00	0.00		
S127 Pump Station:	-NR-	0.00	0.00		
S129 Pump Station:	-NR-	0.00	0.00		
S131 Pump Station:	-NR-	0.00	0.00		
S77:	0.00	0.23	0.23	144	1
S78:	0.00	0.02	0.04	93	4
S79:	0.01	0.28	0.66	0	4
S4 Pump Station:	-NR-	0.00	0.00		
Clewiston Field Station:	-NR-	0.00	0.00		
S3 Pump Station:	-NR-	0.00	0.00		
S2 Pump Station:	-NR-	0.00	0.00		
S308:	0.00	0.00	0.00	92	2
S80:	0.00	0.25	0.27	76	3
Okeechobee Average (Sites S78, S79 and S80 not included)	0.00	0.02	0.02		

Oke Nexrad Basin Avg	-NR-	0.00	0.00		

Okeechobee Lake Elevations 24 JUL 2022 13.04 Difference from 24JUL22
 24JUL22 -1 Day = 23 JUL 2022 13.04 0.00

24JUL22	-2 Days =	22 JUL 2022	13.04	0.00
24JUL22	-3 Days =	21 JUL 2022	13.06	0.02
24JUL22	-4 Days =	20 JUL 2022	13.07	0.03
24JUL22	-5 Days =	19 JUL 2022	13.08	0.04
24JUL22	-6 Days =	18 JUL 2022	13.08	0.04
24JUL22	-7 Days =	17 JUL 2022	13.05	0.01
24JUL22	-30 Days =	24 JUN 2022	12.91	-0.13
24JUL22	-1 Year =	24 JUL 2021	13.51	0.47
24JUL22	-2 Year =	24 JUL 2020	12.89	-0.15

Long Term Mean 30day Avearge ET for Lake Alfred (Inches) = -NR-

Lake Okeechobee Net Inflow (LONIN)

		Average Flow over the previous 14 days		Avg-Daily Flow
24JUL22	Today =	24 JUL 2022	1609 MON	20
24JUL22	-1 Day =	23 JUL 2022	2038 SUN	0
24JUL22	-2 Days =	22 JUL 2022	2318 SAT	-4235
24JUL22	-3 Days =	21 JUL 2022	2630 FRI	-2102
24JUL22	-4 Days =	20 JUL 2022	2789 THU	-2118
24JUL22	-5 Days =	19 JUL 2022	3080 WED	0
24JUL22	-6 Days =	18 JUL 2022	3080 TUE	6353
24JUL22	-7 Days =	17 JUL 2022	2828 MON	12555
24JUL22	-8 Days =	16 JUL 2022	1715 SUN	5956
24JUL22	-9 Days =	15 JUL 2022	1110 SAT	-1929
24JUL22	-10 Days =	14 JUL 2022	961 FRI	-3896
24JUL22	-11 Days =	13 JUL 2022	1266 THU	1975
24JUL22	-12 Days =	12 JUL 2022	1206 WED	1975
24JUL22	-13 Days =	11 JUL 2022	1136 TUE	7975

S65E

		Average Flow over previous 14 days		Avg-Daily Flow
24JUL22	Today=	24 JUL 2022	137 MON	93
24JUL22	-1 Day =	23 JUL 2022	151 SUN	123
24JUL22	-2 Days =	22 JUL 2022	166 SAT	84
24JUL22	-3 Days =	21 JUL 2022	186 FRI	83
24JUL22	-4 Days =	20 JUL 2022	208 THU	78
24JUL22	-5 Days =	19 JUL 2022	228 WED	122
24JUL22	-6 Days =	18 JUL 2022	238 TUE	153
24JUL22	-7 Days =	17 JUL 2022	249 MON	240
24JUL22	-8 Days =	16 JUL 2022	256 SUN	100
24JUL22	-9 Days =	15 JUL 2022	268 SAT	113
24JUL22	-10 Days =	14 JUL 2022	285 FRI	164
24JUL22	-11 Days =	13 JUL 2022	298 THU	111
24JUL22	-12 Days =	12 JUL 2022	333 WED	224
24JUL22	-13 Days =	11 JUL 2022	374 TUE	236

S65EX1

		Average Flow over previous 14 days		Avg-Daily Flow
24JUL22	Today=	24 JUL 2022	0 MON	0
24JUL22	-1 Day =	23 JUL 2022	0 SUN	0
24JUL22	-2 Days =	22 JUL 2022	0 SAT	0
24JUL22	-3 Days =	21 JUL 2022	0 FRI	0
24JUL22	-4 Days =	20 JUL 2022	0 THU	0
24JUL22	-5 Days =	19 JUL 2022	0 WED	0
24JUL22	-6 Days =	18 JUL 2022	0 TUE	0
24JUL22	-7 Days =	17 JUL 2022	0 MON	0
24JUL22	-8 Days =	16 JUL 2022	0 SUN	0
24JUL22	-9 Days =	15 JUL 2022	0 SAT	0
24JUL22	-10 Days =	14 JUL 2022	0 FRI	0
24JUL22	-11 Days =	13 JUL 2022	0 THU	0
24JUL22	-12 Days =	12 JUL 2022	0 WED	0
24JUL22	-13 Days =	11 JUL 2022	0 TUE	0

Lake Okeechobee Outlets Last 14 Days

DATE	S-77 Discharge (ALL DAY) (AC-FT)	Below S-77 Discharge (ALL-DAY) (AC-FT)	S-78 Discharge (ALL DAY) (AC-FT)	S-79 Discharge (ALL DAY) (AC-FT)
24 JUL 2022	-NR-	-8	702	2183
23 JUL 2022	-NR-	99	316	1681
22 JUL 2022	-NR-	33	506	2426
21 JUL 2022	-NR-	29	731	1943
20 JUL 2022	2	156	464	2301
19 JUL 2022	2	71	1305	3442
18 JUL 2022	3	453	1557	4509
17 JUL 2022	3	700	1704	2511
16 JUL 2022	6	104	656	1994
15 JUL 2022	7	-19	663	2580
14 JUL 2022	4	88	658	2226
13 JUL 2022	2	100	644	2566
12 JUL 2022	1	218	641	2487
11 JUL 2022	1	88	647	2482

DATE	S-310 Discharge (ALL DAY) (AC-FT)	S-351 Discharge (ALL DAY) (AC-FT)	S-352 Discharge (ALL DAY) (AC-FT)	S-354 Discharge (ALL DAY) (AC-FT)	L8 Canal Pt Discharge (ALL DAY) (AC-FT)
24 JUL 2022	-67	0	0	0	-NR-
23 JUL 2022	-90	0	0	0	-NR-
22 JUL 2022	-117	0	0	0	-NR-
21 JUL 2022	-97	0	0	0	-NR-
20 JUL 2022	-189	0	0	0	-NR-
19 JUL 2022	-401	0	0	0	-NR-
18 JUL 2022	-606	0	0	0	-NR-
17 JUL 2022	-367	0	0	0	-NR-
16 JUL 2022	-277	0	0	0	-NR-
15 JUL 2022	-422	0	0	0	-NR-
14 JUL 2022	-343	0	0	0	-NR-
13 JUL 2022	-523	0	0	0	-NR-
12 JUL 2022	-377	0	0	0	-NR-
11 JUL 2022	-404	0	0	0	-NR-

DATE	S-308 Discharge (ALL DAY) (AC-FT)	Below S-308 Discharge (ALL-DAY) (AC-FT)	S-80 Discharge (ALL-DAY) (AC-FT)
24 JUL 2022	-1	-NR-	22
23 JUL 2022	-2	-NR-	38
22 JUL 2022	-2	-NR-	34
21 JUL 2022	-2	-NR-	23
20 JUL 2022	-3	-NR-	19
19 JUL 2022	-2	-NR-	20
18 JUL 2022	-763	-NR-	12
17 JUL 2022	-4	-NR-	36
16 JUL 2022	-487	-NR-	27
15 JUL 2022	-603	-NR-	43
14 JUL 2022	-507	-NR-	39
13 JUL 2022	-NR-	-NR-	36
12 JUL 2022	-NR-	-NR-	16
11 JUL 2022	-NR-	-NR-	36

*** NOTE: Discharge (ALL DAY) is computed using Spillway, Sector Gate and Lockages Discharges from 0015 hrs to 2400 hrs.

(I) - Flows preceded by "I" signify an instantaneous flow computed from the single value reported for the day

* On 11 May 1999, Lake Okeechobee Elevation was switched from Instantaneous 2400 value to an average-daily lake average.
On 14 Mar 2001, due to the isolation of various gages within the standard 10 stations, the average of the interior 4 station gages was used as the Lake Okeechobee Elevation.
On 05 November 2010, Lake Okeechobee Elevation was switched to a 9 gage mix of interior and edge gages to obtain a more reliable representation of the lake level.
On 09 May 2011, Lake Okeechobee Elevation was switched to a 8 gage mix of interior and edge gages to obtain a more reliable representation of the lake level due to isolation of S135 from low lake levels.
Today Lake Okeechobee elevation is determined from the 4 Int & 4 Edge stations


++ For more information see the Jacksonville District Navigation website at <http://www.saj.usace.army.mil/>

\$ For information regarding Lake Okeechobee Service Area water restrictions please refer to www.sfwmd.gov

Report Generated 25JUL2022 @ 08:45 ** Preliminary Data - Subject to Revision **

Lake Okeechobee

25JUL22 08:30:27



- High Lake Management
- Okeechobee Avg Elev
- Average Elev [1965-2007]
- Water Shortage Management

Classification Tables

Supplemental Tables used in conjunction with the LORS2008 Release

Guidance Flow Charts

- [Class Limits for Tributary Hydrologic Conditions](#)

Table K-2 in the Lake Okeechobee Water Control Plan

- [6-15 Day Precipitation Outlook Categories](#)

Table ?? in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Seasonal Outlook](#)

Table K-3 in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Multi-Seasonal Outlook](#)

Table K-4 in the Lake Okeechobee Water Control Plan

[Back to Lake Okeechobee Operations Main Page](#)

[Back to U.S. Army Corps of Engineers Lake Okeechobee Operations Homepage](#)

Tributary Hydrologic Classification*	Palmer Index Class Limits	2-wk Mean L.O. Net Inflow Class Limits
Very Wet	3.0 or greater	Greater \geq 6000 cfs
Wet	1.5 to 2.99	2500 - 5999 cfs
Near Normal	-1.49 to 1.49	500 - 2499 cfs
Dry	-2.99 to -1.5	-5000 – 500 cfs
Very Dry	-3.0 or less	Less than -5000 cfs

* use the wettest of the two indicators

Classification of Lake Okeechobee Net Inflow Seasonal Outlook*

Lake Net Inflow Prediction [million acre-feet]	Equivalent Depth** [feet]	Lake Okeechobee Net Inflow Seasonal Outlook
> 0.93	> 2.0	Very Wet
0.71 to 0.93	1.51 to 2.0	Wet
0.35 to 0.70	0.75 to 1.5	Normal
< 0.35	< 0.75	Dry

****Volume-depth conversion based on average lake surface area of 467,000 acres**

Classification of Lake Okeechobee Net Inflow Multi-Seasonal Outlook*

Lake Net Inflow Prediction [million acre-feet]	Equivalent Depth** [feet]	Lake Okeechobee Net Inflow Multi-Seasonal Outlook
> 2.0	> 4.3	Very Wet
1.18 to 2.0	2.51 to 4.3	Wet
0.5 to 1.17	1.1 to 2.5	Normal
< 0.5	< 1.1	Dry

**Volume-depth conversion based on average lake surface area of 467,000 acres

6-15 Day Precipitation Outlook Categories*

6-15 Day Precipitation Outlook Categories	WSE Decision Tree Categories
Above Normal	Wet to Very Wet
Normal	Normal
Below Normal	Dry

* Corresponds to Table 7-6 in the Lake Okeechobee Water Control Plan