

Application of the Lake Okeechobee Regulation Schedule (LORS2008) on 8/5/2024 (ENSO Condition: Neutral)

Lake Okeechobee Net Inflow Outlook:

The Lake Okeechobee Net Inflow Outlook has been computed using methods described in the LORS2008 Water Control Plan: Croley's method, the SFWMD empirical method, a sub-sampling of Neutral years and a sub-sampling of warm years of the Atlantic Multi-decadal Oscillation (AMO) in combination with Neutral ENSO years. The results for Croley's method and the SFWMD empirical method are based on the CPC Outlook.

Table of the Lake Okeechobee Net Inflow Outlooks in feet of equivalent depth. All methods are updated on a weekly basis with observed net inflow for the current month.

Season	Croley's Method*		SFWMD Empirical Method		Sub-sampling of El Niño ENSO Years**		Sub-sampling of AMO Warm + El Niño ENSO Years***	
	Value (ft)	<u>Condition</u>	Value (ft)	<u>Condition</u>	Value (ft)	<u>Condition</u>	Value (ft)	<u>Condition</u>
Current (Aug-Jan)	N/A	N/A	1.81	Wet	1.85	Wet	3.35	Very Wet
Multi Seasonal (Aug-Apr)	N/A	N/A	1.89	Normal	1.73	Normal	3.43	Wet

*Croley's Method Not Produced for This Report

See Seasonal and Multi-Seasonal tables for the classification of Lake Okeechobee Outlooks.

The recommended methods and values for estimating the Lake Okeechobee Net Inflow Outlook are shaded and should be used in the LORS2008 Release Guidance Flow Charts.

**Sub-sampling is a weighted average of ENSO conditions based on the IRI ENSO forecast published.

***Sub-sampling based on combination of ENSO and AMO conditions. For this predominant ENSO categorization is used instead of weights.

Tributary Hydrologic Conditions:

2351 cfs 14-day running average for Lake Okeechobee Net Inflow through 8/5/2024. According to the classification in Tributary Hydrologic Conditions table, this condition is Near Normal.

-3.15 for Palmer Drought Index on 8/3/2024. According to the classification in Tributary Hydrologic Conditions table, this condition is Very Dry.

The wetter of the two conditions above is **Near Normal**.

LORS2008 Classification Tables:

Lake Okeechobee Stage on 8/5/2024:

Lake Okeechobee Stage: **13.70 feet (NGVD29), 12.45 (NAVD88) ***

Lake Okeechobee Management Zone/Band		Bottom Elevation feet, NGVD (feet NAVD)	Current Lake Stage
High Lake Management Band		16.30 (15.05)	
Operational Band	High sub-band	15.88 (14.63)	
	Intermediate sub-band	15.46 (14.21)	
	Low sub-band	13.61 (12.36)	← 13.70 ft (12.45)
Base Flow sub-band		12.60 (11.35)	
Beneficial Use sub-band		11.82 (10.57)	
Water Shortage Management Band			

*Lake Okeechobee Stage NAVD88 offset of -1.25 is based on Final Regulation Schedule Conversion (5/19/2020).

Part C of LORS2008: Discharge to WCAs

Up to Maximum Practicable to the WCAs if desirable or with minimum Everglades impact; otherwise, no Releases to WCAs.

Part D of LORS2008: Discharge to Tide

Up to 450 cfs at S-79 and up to 200 cfs at S-80.

LORS2008 Implementation on 8/5/2024 (ENSO Condition- Neutral):

Status for week ending 8/5/2024*:

Water Supply Risk Evaluation


Area	Indicator	Value	Color Coded Scoring Scheme
LOK	Projected LOK Stage for the next two months	Low Sub-band	L
	Palmer Drought Index for LOK Tributary Conditions	-3.15 (Extremely Dry)	H
	CPC Precipitation Outlook	1 month: Above Normal	L
		3 months: Above Normal	L
	LOK Seasonal Net Inflow Outlook	1.85 ft	L
	ENSO Forecast	Normal to Extremely Wet	L
	LOK Multi-Seasonal Net Inflow Outlook	1.73 ft	M
ENSO Forecast		Normal	M
WCAs	WCA 1: 3 Station Average (Sites 1-7, 1-9, and 1-8T)	Above Line 1 (16.53 ft) (15.03 ft NAVD88)	L
	WCA 2A: Site 2-17	Above Line 1 (12.65 ft) (11.15 ft NAVD88)	L
	WCA-3A: 3 Station Average (Sites 63, 64, and 65)	Above Line 1 (10.82 ft) (9.32 ft NAVD88)	L
LEC	Service Area 1	Year-Round Irrigation Rule in effect	L
	Service Area 2	Year-Round Irrigation Rule in effect	L
	Service Area 3	Year-Round Irrigation Rule in effect	L

Note: The water supply risk classification based on the Palmer index, as well as the LOK seasonal and multi-seasonal net inflow outlooks use slightly different classification intervals than those used by the 2008-LORS.

* S-80 flow data for 7/29, 7/31, 8/3-8/4 is not available from USACE Daily Reports and was assumed to be 0. WCA1, WCA2A, and WCA3A NAVD88 offset of -1.5 is based on Final Regulation Schedule Conversion (5/19/2020).

Lake Okeechobee SFWMM August 2024 Position Analysis

Percentiles PA





(See assumptions on the Position Analysis Results website)

08/06/24 08:12:23

* Lake Okeechobee stage NAVD88 offset of -1.25 is based on Final Regulation Schedule Conversion (5/19/2020).

Tributary Basin Condition Indicators as of August 04 2024



2008 LORS

Part C: Establish Allowable Lake Okeechobee Releases to the Water Conservation Areas




Figure 7-3

2008 LORS

Part D: Establish Allowable Lake Okeechobee Releases to Tide (Estuaries)

Note: This operational guidance provides essential supplementary information to be used in conjunction with other supporting documentation including text within the Water Control Plan.

When conducting Base Flow releases, flows can be distributed East and West up to 650 cfs as needed to minimize impacts or provide benefits through S-80 and S-79

Apply Meteorological Forecasts on a Weekly Basis; apply Seasonal and Multi-Seasonal Climate/Hydrologic Outlooks on a Monthly Basis





Figure 7-4

Lake Okeechobee Water Level History and Projected Stages



Stage is plotted in NGVD. Please use the left axis for water level history and projected stages. Lake Okeechobee stage NAVD88 offset of -1.25 is based on Final Regulation Schedule Conversion (5/19/2020).

U. S. Army Corps of Engineers, Jacksonville District
 Lake Okeechobee and Vicinity Report
 ** Preliminary Data - Subject to Revision **

Data Ending 2400 hours 04 AUG 2024

Okeechobee Lake Regulation	Elevation (ft-NGVD)	Last Year (ft-NGVD)	2YRS Ago (ft-NGVD)
*Okeechobee Lake Elevation	13.70	15.27	12.96 (Official Elv)
Bottom of High Lake Mngmt=	16.30	Top of Water Short Mngmt= 11.82	
Currently in Operational Management Band			

Simulated Average LORS2008 [1965-2000]	12.76
Difference from Average LORS2008	0.94

04AUG (1965-2007) Period of Record Average	13.81
Difference from POR Average	-0.11

Today Lake Okeechobee elevation is determined from the 4 Int & 4 Edge stations

++Navigation Depth (Based on 2007 Channel Condition Survey) Route 1 ♦ 7.64'
 ++Navigation Depth (Based on 2008 Channel Condition Survey) Route 2 ♦ 5.84'
 Bridge Clearance = 49.34'

4 Interior and 4 Edge Okeechobee Lake Average (Avg-Daily values):

L001	L005	L006	LZ40	S4	S352	S308	S133
14.02	13.96	13.43	13.53	13.54	13.56	13.47	14.09

*Combination Okeechobee Avg-Daily Lake Average = 13.70
 (*See Note)

Okeechobee Inflows (cfs):

S65E	698	S65EX1	0	Fisheating Cr	420
S154	0	S191	270	S135 Pumps	114
S84	1230	S133 Pumps	0	S2 Pumps	0
S84X	340	S127 Pumps	0	S3 Pumps	0
S71	837	S129 Pumps	0	S4 Pumps	0
S72	145	S131 Pumps	50	C5	0
Total Inflows:	4104				

Okeechobee Outflows (cfs):

S135 Culverts	0	S354	0	S77	2
S127 Culverts	0	S351	0	S308	-1
S129 Culverts	0	S352	0		
S131 Culverts	0	L8 Canal Pt	81		
Total Outflows:	82				

****S77 structure flow is being used to compute Total Outflow.
 ****S308 structure flow is being used to compute Total Outflow.

Okeechobee Pan Evaporation (inches):

S77	0.00	S308	0.19
Average Pan Evap x 0.75 Pan Coefficient = 0.07" = 0.01'			

Lake Average Precipitation using NEXRAD: = -NR-" = -NR-'

Evaporation - Precipitation: = -NR-" = -NR-'
 Evaporation - Precipitation using Lake Area of 730 square miles

is equal to -NR-
 Lake Okeechobee (Change in Storage) Flow is 16940 cfs or 33600 AC-FT

	Headwater Elevation (ft-msl)	Tailwater Elevation (ft-msl)	Disch (cfs)	----- Gate Positions -----							
				#1 (ft)	#2 (ft)	#3 (ft)	#4 (ft)	#5 (ft)	#6 (ft)	#7 (ft)	#8 (ft)
(I) see note at bottom											
North East Shore											
S133 Pumps:	13.62	14.35	0	0	0	0	0	-NR-			(cfs)
S193:											
S191:	18.50	14.20	270	0.5	0.5	0.5					
S135 Pumps:	13.33	13.74	114	32	19	19	19				(cfs)
S135 Culverts:			0	0.0	0.0						
North West Shore											
S65E:	20.99	14.41	698	0.3	0.5	0.3	0.2	0.3	0.5		
S65EX1:	20.99	14.41	0								
S127 Pumps:	13.43	14.17	0	0	0	0	0	0			(cfs)
S127 Culvert:			0	0.0							
S129 Pumps:	13.09	14.02	0	0	0	0					(cfs)
S129 Culvert:			0	0.0							
S131 Pumps:	13.01	13.18	50	0	51						(cfs)
S131 Culvert:			0								
Fisheating Creek											
nr Palmdale		32.40	420								
nr Lakeport											
S282	13.83	13.90		0.0	0.0	0.1					
South Shore											
S4 Pumps:	11.89	15.26	0	0	0	0					(cfs)
S169:	13.39	5.85	0	0.0	0.0	0.0					
S310:			-NR-								
S3 Pumps:	10.46	13.19	0	0	0	0					(cfs)
S354:	13.19	10.46	0	0.0	0.0						
S2 Pumps:	10.34	13.18	0	0	0	0	0				(cfs)
S351:	13.18	10.34	0	0.0	0.0	0.0					
S352:	13.52	9.20	0	0.0	0.0						
S271:	13.71	13.75		9.5	9.7	-NR-		8.5			
L8 Canal PT		13.47	81								

S351 and S352 Temporary Pumps/S354 Spillway

S351:	10.34	13.18	0	-NR-	-NR-	-NR-	-NR-	-NR-	-NR-		
S352:	9.20	13.52	0	-NR-	-NR-	-NR-	-NR-				
S354:	10.46	13.19	0	-NR-	-NR-	-NR-	-NR-				

Caloosahatchee River (S77, S78, S79)

S47B:	13.27	12.60		1.5	1.0						
S47D:	12.57	11.50	24	0.5							
S77:											
Spillway and Sector Preferred Flow:											
	13.71	11.34	0	0.0	0.0	0.0	0.0				
Flow Due to Lockages+:			2								

S78:

Spillway and Sector Flow:
 11.40 4.95 1181 0.0 0.0 3.5 0.0
 Flow Due to Lockages+: 2

S79:

Spillway and Sector Flow:
 4.84 3.91 2876 0.0 5.0 6.0 7.0 7.0 6.0 5.0 0.0
 Flow Due to Lockages+: 0
 Percent of flow from S77 0%
 Chloride (ppm) 0

St. Lucie Canal (S308, S80)

S308:

Spillway and Sector Preferred Flow:
 13.51 14.16 0 0.0 0.0 0.0 0.0
 Flow Due to Lockages+: -1

S153: 18.96 14.00 88 0.5 0.0

S80:

Spillway and Sector Flow:
 14.29 1.13 -NR- 0.0 0.0 0.0 0.0 0.0 0.0 0.0
 Flow Due to Lockages+: 12
 Percent of flow from S308 -NR-%

Steele Point Top Salinity (mg/ml) ****

Steele Point Bottom Salinity (mg/ml) ****

Speedy Point Top Salinity (mg/ml) ****

Speedy Point Bottom Salinity (mg/ml) ****

+ Flow Due to lockages is computed utilizing average daily headwater and tailwater along with total number of lockages for the day to calculate a volume which is then converted to an average discharge in cfs.

++ Preferred flow is determined from either the spillway discharge or the below flow meter daily

Daily Precipitation Totals	1-Day (inches)	3-Day (inches)	7-Day (inches)	----- Wind -----	
				Direction (Deg)	Speed (mph)
S133 Pump Station:	-NR-	0.00	0.00		
S193:	-NR-	0.00	0.00	-NR-	-NR-
Okeechobee Field Station:	-NR-	0.00	0.00		
S135 Pump Station:	-NR-	0.00	0.00		
S127 Pump Station:	-NR-	0.00	0.00		
S129 Pump Station:	-NR-	0.00	0.00		
S131 Pump Station:	-NR-	0.00	0.00		
S77:	0.76	2.60	2.68	167	-NR-
S78:	0.00	0.00	0.00	128	10
S79:	1.84	2.77	2.81	121	9
S4 Pump Station:	-NR-	0.00	0.00		
Clewiston Field Station:	-NR-	0.00	0.00		
S3 Pump Station:	-NR-	0.00	0.00		
S2 Pump Station:	-NR-	0.00	0.00		
S308:	0.00	0.00	0.00	15	14
S80:	0.31	2.21	2.79	-NR-	-NR-
Okeechobee Average (Sites S78, S79 and S80 not included)	0.38	0.20	0.21		

Oke Nexrad Basin Avg	-NR-	0.00	0.00		

Okeechobee Lake Elevations 04 AUG 2024 13.70 Difference from 04AUG24
 04AUG24 -1 Day = 03 AUG 2024 13.62 -0.08

04AUG24	-2 Days =	02 AUG 2024	13.57	-0.13
04AUG24	-3 Days =	01 AUG 2024	13.56	-0.14
04AUG24	-4 Days =	31 JUL 2024	13.56	-0.14
04AUG24	-5 Days =	30 JUL 2024	13.56	-0.14
04AUG24	-6 Days =	29 JUL 2024	13.55	-0.15
04AUG24	-7 Days =	28 JUL 2024	13.52	-0.18
04AUG24	-30 Days =	05 JUL 2024	13.51	-0.19
04AUG24	-1 Year =	04 AUG 2023	15.27	1.57
04AUG24	-2 Year =	04 AUG 2022	12.96	-0.74

Long Term Mean 30day Avearge ET for Lake Alfred (Inches) = -NR-

Lake Okeechobee Net Inflow (LONIN)

		Average Flow over the previous 14 days		Avg-Daily Flow
04AUG24	Today =	04 AUG 2024	2773 MON	16940
04AUG24	-1 Day =	03 AUG 2024	1593 SUN	10590
04AUG24	-2 Days =	02 AUG 2024	775 SAT	2173
04AUG24	-3 Days =	01 AUG 2024	635 FRI	94
04AUG24	-4 Days =	31 JUL 2024	695 THU	231
04AUG24	-5 Days =	30 JUL 2024	317 WED	2284
04AUG24	-6 Days =	29 JUL 2024	661 TUE	6595
04AUG24	-7 Days =	28 JUL 2024	530 MON	-1469
04AUG24	-8 Days =	27 JUL 2024	979 SUN	661
04AUG24	-9 Days =	26 JUL 2024	908 SAT	-3568
04AUG24	-10 Days =	25 JUL 2024	2518 FRI	-1338
04AUG24	-11 Days =	24 JUL 2024	2559 THU	2860
04AUG24	-12 Days =	23 JUL 2024	2104 WED	0
04AUG24	-13 Days =	22 JUL 2024	2394 TUE	-NR-

S65E

		Average Flow over previous 14 days		Avg-Daily Flow
04AUG24	Today=	04 AUG 2024	557 MON	796
04AUG24	-1 Day =	03 AUG 2024	538 SUN	611
04AUG24	-2 Days =	02 AUG 2024	528 SAT	591
04AUG24	-3 Days =	01 AUG 2024	517 FRI	594
04AUG24	-4 Days =	31 JUL 2024	505 THU	551
04AUG24	-5 Days =	30 JUL 2024	499 WED	558
04AUG24	-6 Days =	29 JUL 2024	491 TUE	459
04AUG24	-7 Days =	28 JUL 2024	489 MON	635
04AUG24	-8 Days =	27 JUL 2024	479 SUN	439
04AUG24	-9 Days =	26 JUL 2024	481 SAT	517
04AUG24	-10 Days =	25 JUL 2024	486 FRI	510
04AUG24	-11 Days =	24 JUL 2024	485 THU	504
04AUG24	-12 Days =	23 JUL 2024	493 WED	514
04AUG24	-13 Days =	22 JUL 2024	508 TUE	523

S65EX1

		Average Flow over previous 14 days		Avg-Daily Flow
04AUG24	Today=	04 AUG 2024	0 MON	0
04AUG24	-1 Day =	03 AUG 2024	0 SUN	0
04AUG24	-2 Days =	02 AUG 2024	0 SAT	0
04AUG24	-3 Days =	01 AUG 2024	0 FRI	0
04AUG24	-4 Days =	31 JUL 2024	0 THU	0
04AUG24	-5 Days =	30 JUL 2024	0 WED	0
04AUG24	-6 Days =	29 JUL 2024	0 TUE	0
04AUG24	-7 Days =	28 JUL 2024	0 MON	0
04AUG24	-8 Days =	27 JUL 2024	0 SUN	0
04AUG24	-9 Days =	26 JUL 2024	0 SAT	0
04AUG24	-10 Days =	25 JUL 2024	0 FRI	0
04AUG24	-11 Days =	24 JUL 2024	0 THU	0
04AUG24	-12 Days =	23 JUL 2024	0 WED	0
04AUG24	-13 Days =	22 JUL 2024	0 TUE	0

Lake Okeechobee Outlets Last 14 Days

	S-77	Below S-77	S-78	S-79
	Discharge	Discharge	Discharge	Discharge
	(ALL DAY)	(ALL-DAY)	(ALL DAY)	(ALL DAY)
DATE	(AC-FT)	(AC-FT)	(AC-FT)	(AC-FT)
04 AUG 2024	3	-NR-	2340	5655
03 AUG 2024	4	-NR-	1802	6483
02 AUG 2024	3	-NR-	1485	5689
01 AUG 2024	3	-NR-	1498	6089
31 JUL 2024	97	-NR-	1502	5591
30 JUL 2024	334	-NR-	1510	5356
29 JUL 2024	476	-NR-	1528	5081
28 JUL 2024	1297	-NR-	1528	5024
27 JUL 2024	1312	-NR-	1501	5390
26 JUL 2024	1324	-NR-	1494	4831
25 JUL 2024	1532	-NR-	1494	4999
24 JUL 2024	1501	-NR-	1422	5368
23 JUL 2024	4	-NR-	1426	5390
22 JUL 2024	221	-NR-	1483	4199

	S-310	S-351	S-352	S-354	L8 Canal Pt
	Discharge	Discharge	Discharge	Discharge	Discharge
	(ALL DAY)	(ALL DAY)	(ALL DAY)	(ALL DAY)	(ALL DAY)
DATE	(AC-FT)	(AC-FT)	(AC-FT)	(AC-FT)	(AC-FT)
04 AUG 2024	-NR-	0	0	0	161
03 AUG 2024	-NR-	0	0	0	162
02 AUG 2024	-NR-	0	0	0	140
01 AUG 2024	-NR-	0	0	0	162
31 JUL 2024	-NR-	329	0	0	162
30 JUL 2024	-NR-	0	0	0	164
29 JUL 2024	-NR-	0	0	0	164
28 JUL 2024	-NR-	0	0	0	163
27 JUL 2024	-NR-	0	0	0	163
26 JUL 2024	-NR-	0	0	0	163
25 JUL 2024	-NR-	0	0	0	162
24 JUL 2024	-NR-	0	0	0	162
23 JUL 2024	-NR-	0	0	0	162
22 JUL 2024	-NR-	0	0	0	163

	S-308	Below S-308	S-80
	Discharge	Discharge	Discharge
	(ALL DAY)	(ALL-DAY)	(ALL-DAY)
DATE	(AC-FT)	(AC-FT)	(AC-FT)
04 AUG 2024	-1	-NR-	-NR-
03 AUG 2024	-1	-NR-	-NR-
02 AUG 2024	-2	-NR-	35
01 AUG 2024	-2	-NR-	35
31 JUL 2024	-3	-NR-	-NR-
30 JUL 2024	-2	-NR-	27
29 JUL 2024	-2	-NR-	-NR-
28 JUL 2024	-3	-NR-	31
27 JUL 2024	-2	-NR-	46
26 JUL 2024	-1	-NR-	19
25 JUL 2024	-2	-NR-	27
24 JUL 2024	-3	-NR-	27
23 JUL 2024	-2	-NR-	19
22 JUL 2024	-NR-	-NR-	23

*** NOTE: Discharge (ALL DAY) is computed using Spillway, Sector Gate and Lockages Discharges from 0015 hrs to 2400 hrs.


(I) - Flows preceded by "I" signify an instantaneous flow computed from the single value reported for the day

-
- * On 11 May 1999, Lake Okeechobee Elevation was switched from Instantaneous 2400 value to an average-daily lake average.
 - On 14 Mar 2001, due to the isolation of various gages within the standard 10 stations, the average of the interior 4 station gages was used as the Lake Okeechobee Elevation.
 - On 05 November 2010, Lake Okeechobee Elevation was switched to a 9 gage mix of interior and edge gages to obtain a more reliable representation of the lake level.
 - On 09 May 2011, Lake Okeechobee Elevation was switched to a 8 gage mix of interior and edge gages to obtain a more reliable representation of the lake level due to isolation of S135 from low lake levels.
 - Today Lake Okeechobee elevation is determined from the 4 Int & 4 Edge stations
- ++ For more information see the Jacksonville District Navigation website at <http://www.saj.usace.army.mil/>
- \$ For information regarding Lake Okeechobee Service Area water restrictions please refer to www.sfwmd.gov

Report Generated 05AUG2024 @ 13:15 ** Preliminary Data - Subject to Revision **

Lake Okeechobee

05AUG24 13:17:19



- High Lake Management
- Okeechobee Avg Elev
- Average Elev [1965-2007]
- Water Shortage Management

Classification Tables

Supplemental Tables used in conjunction with the LORS2008 Release

Guidance Flow Charts

- [Class Limits for Tributary Hydrologic Conditions](#)

Table K-2 in the Lake Okeechobee Water Control Plan

- [6-15 Day Precipitation Outlook Categories](#)

Table ?? in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Seasonal Outlook](#)

Table K-3 in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Multi-Seasonal Outlook](#)

Table K-4 in the Lake Okeechobee Water Control Plan

[Back to Lake Okeechobee Operations Main Page](#)

[Back to U.S. Army Corps of Engineers Lake Okeechobee Operations Homepage](#)

Tributary Hydrologic Classification*	Palmer Index Class Limits	2-wk Mean L.O. Net Inflow Class Limits
Very Wet	3.0 or greater	Greater \geq 6000 cfs
Wet	1.5 to 2.99	2500 - 5999 cfs
Near Normal	-1.49 to 1.49	500 - 2499 cfs
Dry	-2.99 to -1.5	-5000 – 500 cfs
Very Dry	-3.0 or less	Less than -5000 cfs

* use the wettest of the two indicators

Classification of Lake Okeechobee Net Inflow Seasonal Outlook*

Lake Net Inflow Prediction [million acre-feet]	Equivalent Depth** [feet]	Lake Okeechobee Net Inflow Seasonal Outlook
> 0.93	> 2.0	Very Wet
0.71 to 0.93	1.51 to 2.0	Wet
0.35 to 0.70	0.75 to 1.5	Normal
< 0.35	< 0.75	Dry

****Volume-depth conversion based on average lake surface area of 467,000 acres**

Classification of Lake Okeechobee Net Inflow Multi-Seasonal Outlook*

Lake Net Inflow Prediction [million acre-feet]	Equivalent Depth** [feet]	Lake Okeechobee Net Inflow Multi-Seasonal Outlook
> 2.0	> 4.3	Very Wet
1.18 to 2.0	2.51 to 4.3	Wet
0.5 to 1.17	1.1 to 2.5	Normal
< 0.5	< 1.1	Dry

**Volume-depth conversion based on average lake surface area of 467,000 acres

6-15 Day Precipitation Outlook Categories*

6-15 Day Precipitation Outlook Categories	WSE Decision Tree Categories
Above Normal	Wet to Very Wet
Normal	Normal
Below Normal	Dry

* Corresponds to Table 7-6 in the Lake Okeechobee Water Control Plan