## MEMORANDUM

**TO:** John Mitnik, Assistant Executive Director

**THROUGH:** Peter Kwiatkowski, Section Administrator, Resource Evaluation

**FROM:** SFWMD Staff Water Supply Advisory Team

**DATE:** July 9, 2024

**SUBJECT:** Water Supply Report

## **District-wide Conditions**


About 70% of the United States Geological Survey (USGS) real-time wells in the Kissimmee Basin (KB) are in the lower percentile ranges for this time of year. The wells in the Upper KB are mostly completed in the Floridan aquifer and the wells in the Lower KB are surficial aquifer system wells. Surface and groundwater water levels increased in about 60% of the KB stations over the last seven days.

Upper East Coast (UEC) surface water levels increased, and groundwater levels showed mixed trends during the last week. Stages in UEC canals C-23, C-24, and C-25 are 20.91, 18.97, and 18.57 feet NGVD, respectively. About 30% of the UEC surficial aquifer system wells are in the lower percentile ranges for this time of year.

About 70% of the Lower East Coast (LEC) surface and groundwater stations recorded decreases over the past seven days. About 95% of the LEC surficial aquifer system stations are in the median and upper percentile ranges for this time of year.

Groundwater levels decreased in about 15% of the Lower West Coast (LWC) stations over the last week. All the surficial aquifer system wells and Lower Tamiami aquifer wells are in the median and upper percentile ranges for this time of year. Approximately 40% of the Sandstone aquifer wells are in the lower percentile ranges for this time of year. Approximately 70% of the Mid-Hawthorn aquifer wells are in the lower percentile ranges for this time of year.

**Figure 1** shows a statistical comparison between current groundwater levels and long-term historical monthly average groundwater levels at representative wells throughout the District.



**Figure 1. Current Groundwater Level Conditions** 

## Water Supply Technical Input to LORS2008

The projected LOK stage for the next two months is Low Sub-Band, and the risk to water supply is categorized as "low". The Palmer Drought Index for Lake Okeechobee (LOK) Tributary Conditions is -2.20 which is classified as "extremely dry" and is in the "high" risk category for water supply. The Climate Prediction Center's (CPC) Precipitation Outlook is projected as "above normal" for the one-month category and "above normal" for the three-month category, leaving the one-month outlook in the "low" risk category and the three month outlook in the "low" risk category. The LOK Seasonal Net Inflow Outlook is "normal to extremely wet" and is in the "low" risk for water supply. The LOK Multi-Seasonal Net Inflow Outlook is in the "normal" range with "moderate" risk to water supply. The stages in WCA-1, WCA-2A, and WCA-3 are above line 1 and are in the "low" risk category. The Year-Round Irrigation Rule is in effect for the three LEC Service Areas. All three LEC Service Areas are in the "low" risk category for water supply. **Figure 2** summarizes the water supply risk indicators.

## LORS2008 Implementation on 7/8/2024 (ENSO Condition- Neutral): Status for week ending 7/8/2024\*:

Water Supply Risk Evaluation

|      | upply Risk Evaluation                                  |  | Color Coded    |
|------|--|--|----------------|
| Area | Indicator  | Value  | Scoring Scheme |
| LOK  | Projected LOK Stage for the next two months            | Low Sub-band                                 | L              |
|      | Palmer Drought Index for LOK<br>Tributary Conditions   | -2.20<br>(Extremely Dry)                     | н              |
|      | CPC Precipitation Outlook                              | 1 month: Above Normal                        | L              |
|      |  | 3 months: Above Normal                       | L              |
|      | LOK Seasonal Net Inflow Outlook                        | 2.05 ft                                      | _              |
|      | ENSO Forecast  | Normal to Extremely Wet                      | ·              |
|      | LOK Multi-Seasonal Net Inflow Outlook                  | 2.05 ft                                      | .,             |
|      | ENSO Forecast  | Normal                                       | М              |
| WCAs | WCA 1: 3 Station Average<br>(Sites 1-7, 1-9, and 1-8T) | Above Line 1 (16.43 ft) (14.93<br>ft NAVD88) | L              |
|      | WCA 2A: Site 2-17                                      | Above Line 1 (12.58 ft) (11.08 ft NAVD88)    | L              |
|      | WCA-3A: 3 Station Average (Sites 63, 64, and 65)       | Above Line 1 (10.78 ft) (9.28 ft NAVD88)     | L              |
| LEC  | Service Area 1   | Year-Round Irrigation Rule in effect         | L              |
|      | Service Area 2   | Year-Round Irrigation Rule in effect         | L              |
|      | Service Area 3   | Year-Round Irrigation Rule in effect         | L              |

Note: The water supply risk classification based on the Palmer index, as well as the LOK seasonal and multi-seasonal net inflow outlooks use slightly different classification intervals than those used by the 2008-LORS.

Figure 2. Water Supply Risk Indicators

<sup>\*</sup> WCA1, WCA2A, and WCA3A NAVD88 offset of -1.5 is based on Final Regulation Schedule Conversion (5/19/2020).